

**United States District Court  
District of Massachusetts (Boston)  
CIVIL DOCKET FOR CASE #: 1:19-cv-11587-WGY**

Bio-Rad Laboratories, Inc. et al v. Stilla Technologies, Inc. et al Date Filed: 07/22/2019  
Assigned to: Judge William G. Young Jury Demand: Both  
related Case: 1:19-cv-12533-WGY Nature of Suit: 830 Patent  
Cause: 28:1331 Fed. Question Jurisdiction: Federal Question

Date Entered	#	Docket Text
12/18/2020	159	Judge William G. Young: ELECTRONIC ORDER entered re <u>156</u> MOTION To Adopt Pretrial Schedule filed by Bio-Rad Laboratories, Inc. The patent case is placed on this Court's running trial list for July 2021. <b>No further continuances.</b> (Ready for Trial on 7/6/2021 09:00 AM in Courtroom 18 before Judge William G. Young.) 10X anti trust portion shall be ready for trial in September 2021. <b>No further continuances.</b> (Gaudet, Jennifer) (Entered: 12/18/2020)
12/18/2020	160	Judge William G. Young: ELECTRONIC ORDER entered. <b>Counsel shall submit a joint proposed case management schedule within 20 days. All motions to file unredacted documents are denied. The Court ought be able to resolve these issues on the public record. Briefs in excess of 20 pages, as required by the local rules, will not be considered.</b> Associated Cases: 1:19-cv-11587-WGY, 1:19-cv-12533-WGY(Gaudet, Jennifer) (Entered: 12/18/2020)